

Gjutjärnskamin Katrin 130T

KOZA/K8/ASDP

EAN:

5901350051061

K8 is a stove with a unique shape and fashionable ornaments. Its oval shape and cast iron body with a striped pattern merge into one modernity with the traditional use of cast iron as one of the best materials accumulating heat.



Technical Specifications

Rated output (kW)	9,0
Range of heating power (kW)	5.0 - 11.0
Efficiency (%)	75,0
Exhaust outlet diameter (mm)	130
Complies with Ecodesign criteria	No
Designed for heat recovery unit	No
Fuel type	recommended seasoned hardwood with moisture $\leq 20\%$
Weight (kg)	125,0
CO emission (at 13% O ₂) \leq given in %	0,19
Flue gas temperature (°C)	385,0
Max log length (cm)	35
Compliance with BImSchV 2 standard	No
The energy efficiency index EEI	98,88

Kamineronline.se
Hög kvalitet • Bra priser • Snabb leverans



Glazing type	quadrant
Opening of the doors	to the left
Material	cast iron
Width (cm)	66,60
Height (cm)	62,60
Depth (cm)	38,20
External air inlet	No
The liner of the combustion chamber	No
Ashpan	Yes
Decorative printed glass	No
ASDP - automatic control of the air supply	Yes
Turbine TURBOFAN	No
Water panel	No

Features

MAXIMUM USE OF ENERGY

Maximum use of heat and trouble-free operation thanks to the walls of the device made of high quality cast iron with a thickness of 8 mm.

Combustion of fuel particles thanks to deflector, which extends the exhaust gas path.

Manual control of the combustion process through the ashpan.

ASDP - automatic control of the air supply to the stove.

SAFETY AT THE HIGHEST LEVEL

Classic front of insert is equipped with a heat-resistant ceramics that can withstand temperatures up to 660°C.

Decorative fence helps to maintain the tidiness and protects against falling out of wood.

CONVENIENT TO USE

The cold handle system allows to disassembly it when the stove is in use.

Ash drawer / ashtray, where the remains of burnt wood are gathered and grate for easy ash removal.

Reduced soot deposition through a system of pure glass (air curtain).

5 year warranty.

Technical drawing

